WIN FEATURES

PRODUCT CATALOG



Bits / Screwdriver / Clip Serie
Adapters / Bit Holders / Precision Tool Set
Nut Setters / Socket Set

www.winfeatures.com

WHY WIN FEATURES MEANS TOOLS IN TAIWAN



WHAT'S THE DIFFERENCE BETWEEN WIN FEATURES AND OTHER COMPETITORS?

100% in-house production capability. More than 95% of tools accessories suppliers in Taiwan contract out jobs of accessories and parts machining to cooperative manufacturers. Instead of doing that, Win Features continuously invests in large machining equipment to enhance the level of in-house production, aiming at through control on quality and efficiency, and thereby creating a stronger competitive edge.



CONTENTS



Advance Production Facilities P.02



Finishing Type P.12



Screwdriver Bit Set P.16



Clip Series P.56



Screwdriver Set P.62



Precision Tool Set P.70



Nut Setter & Socket Set P.74

PROFILE

TAIWAN HEADQUARTER

WIN FEATURES INDUSTRY CO., LTD.

Established in 2001, R & D Center + Production

EXWIN Industry Co., Ltd.

VIETNAM MANUFACTURING FACTORY

EXWIN INDUSTRY CO., LTD.

Established in 2019, equipped with brand new machines, cold forging heat treatment and finishing process in house.





CHINA MANUFACTURING FACTORY

ALPHA TOOLS CO., LTD.

Established in 1999, In-house production capability
ISO 9001 Certified

ALPHA



VIETNAM

BAC NINH PROVINCE



WIN FEATURES

INNOVATIVE R&D TEAM







CORE COMPETENCE



ROBUST QA SYSTEM





IN-HOUSE PRODUCTION

MEASUREMENT CONTROL GAUGES







CERTIFICATIONS

ISO 9001



QUALITY MANAGEMENT SYSTEM
CERTIFICATION CERTIFICATE

ALPHA TOOLS CO.,LTD.
The Quality Management System Conforms to the Standard ISO9001:2015

Registered Address: No. 11, Song-Yuan-Zai Industry District, Da-Bi., Da-Ruan Town., Jiangmen
Business Location: No. 11, Song-Yuan-Zai Industry District, Da-Bi., Da-Ruan Town., Jiangmen, Guangdong, China
Production Address: No. 11, Song-Yuan-Zai Industry District, Da-Bi., Da-Ruan Town., Jiangmen, Guangdong, China

Certified Scope: Production of Hardware accessories, Screwdriver bits, Tool set, Multi-function tools.

Unified Social Credit Code: 91440700760620501D
Registration No.: UQ24003485
First Issuing Date: 12 Dec. 2008
Issuing Date: 03 Jan. 2024
Expiration Date: 04 Jan. 2027

Issued By:



ISOCERT

GIẤY CHỨNG NHẬN
Số 9199293409160-QMS

CHỨNG NHẬN HỆ THỐNG QUẢN LÝ CHẤT LƯỢNG CỦA
CÔNG TY TNHH CÔNG NGHIỆP EXWIN

Được đánh giá và xác nhận phù hợp với yêu cầu của tiêu chuẩn:
ISO 9001:2015
PHẠM VI CHỨNG NHẬN:
Sản xuất đầu bits.

Ngày chứng nhận : 18.12.2023
Ngày phát hành : 18.12.2023
Ngày hết hạn : 17.12.2026
Chi tiết tại quyết định số : 181223.05/QĐ-ISOCERT

Mã Truy Xuất Chứng Chỉ 9199293409160
VICAS 007-QMS
ISOCERT ISO 9001:2015
THS. Vũ Hoàng Tuấn

CÔNG TY CỔ PHẦN CHỨNG NHẬN VÀ GIÁM ĐỊNH QUỐC TẾ ISOCERT

TORX® TORX PLUS®




CAMCAR INNOVATIONS

TORX® CERTIFICATION 2026

Win Features Industry Co., Ltd.

A valued licensee originating on October 1, 2014

Michael Claassen
Michael Claassen
President




CAMCAR INNOVATIONS

TORX® CERTIFICATION 2026

Exwin Industry Co., Ltd.

A valued licensee originating on January 1, 2021

Michael Claassen
Michael Claassen
President



CAMCAR INNOVATIONS

TORX® CERTIFICATION 2026

Alpha Tools Co., Ltd.

A valued licensee originating on October 1, 2014

Michael Claassen
Michael Claassen
President




CAMCAR INNOVATIONS

TORX PLUS® CERTIFICATION 2026

Win Features Industry Co., Ltd.

A valued licensee originating on October 1, 2014

Michael Claassen
Michael Claassen
President




CAMCAR INNOVATIONS

TORX PLUS® CERTIFICATION 2026

Exwin Industry Co., Ltd.

A valued licensee originating on January 1, 2021

Michael Claassen
Michael Claassen
President



CAMCAR INNOVATIONS

TORX PLUS® CERTIFICATION 2026

Alpha Tools Co., Ltd.

A valued licensee originating on October 1, 2014

Michael Claassen
Michael Claassen
President

Drive System

TORX® and TORX PLUS® is a registered trademark of CAMCAR Innovations®
Win Features is an official TORX® and TORX PLUS® licensee.

FACILITIES ADVANCED PRODUCTION



CNC TURNING & MILLING COMPOUND MACHINES

The steel raw materials are machined into specified shapes and dimensions with our CNC Turning & Milling Compound Machines. These hi-end machines with features of robustness high speed and precision to meet our expectations of stability high yield rate and quality.



COLD FORGING MACHINE

Comparing to the old-fashioned drop forging machines our cold forging machine is of the latest designs which featuring for most efficient processes and better yield quality.

HEAT TREATMENT EQUIPMENT

Thermal treatment is an essential process to make the tools stronger and durable as strict temperature and time controls are extremely critical at this course. With the computerized thermal treatment facilities and accumulated expertise we can fully committed to the required specifications.



PHOSPHATE SURFACE TREATMENT

In-house process. Zinc Phosphate / Dark Zinc Phosphate / Black Phosphate are available to be requested.



QUILITY CONTROL

IN-HOUSE SPECTROMETER INSPECTION


Guaranteed steel integrity and zero material mix-ups through 100% in-house spectrometer analysis — delivering maximum durability and high-torque performance for every batch.



3D PROJECTOR & HARDNESS TESTER

We have equipped high-precision 3D Projector and Hardness Tester to fully support customer's specification requirment as well our quality commitments.





COMPUTERIZED TORQUE & FATIGUE TESTING SYSTEM

Our computerized Torque and Fatigue device is secured our products performance and durability fulfilled customer's specifications.

INNOVATIVE R&D

RAPID PROTOTYPING MACHINE

Rapid-prototyping is quite a key success factor for fulfilling the new design while we have our own in-house Rapid Prototyping Machine to expedite the results at product development stages. Thanks to such rapid-prototyping facility has supported Win Features's R&D capability with great efficiency and competitiveness.



DESIGN & DEVELOPMENT

It is one of the largest scale in Hand / Powr tool industry both Taiwan &China. Advanced Technology Products Innovation Intelligent Functions Analysis Application Research & Development Division.



WIN FEATURES

BITS



Premium quality S2 Alloy Steel
with high Rockwell HRC hardness
Torsion Zone to prevent breakage and longer bit life

BIT HOLDER









All types are available on request

NUT SETTER



All types are available on request

SOCKET ADAPTER




WIN FEATURES

Bits Shape



Phillips	Pozi	Square	Slotted	Hex
TORX®	TORXplus®	Torx Tamper Resistant	Torx Plus Tamper Resistant	Spline
Tri-Point	T-W	T-S	Triangle	Ball Hex
Spanner	Ribe	Stand Off	Clutch	Round
JIS				

SPECIAL POINT SIZES, LENGTHS & TYPES AVAILABLE ON REQUEST



Material Chart Of Product Category

Material	Bit	Adapter	Nut Setter	Bit Holder	Impact Socket
S2	●		●		
8660	●				
6150CRV		●	●		●
50BV30			●		●
40CR		●	●		●
CR-MO					●
Stainless Steel	●			●	

If any of what referred specification is not shown the above table, please feel free to contact us, R&D team would provide customized designing to fulfill your requirement.

COATING STYLE

Color Plating Series




Blue Green Silver Gold Pink

E-Coating Series



Orange Black Red Green




Purple Blue Yellow Pink

Plated Series



Nickel Plated | Black Nickel Plated | Satin Chrome | Mirror Chrome | Black Chrome



Copper

Sliver Matt Chrome

Ring Series



Color Coded



Rubber Band



PVC Band

Phosphate Series



Zinc Phosphate



Phosphate Manganese

Titanium Plated



Full plated



Half Plated

Oxide series



Black



Blue



Bronze

TORSION BITS


FEATURES

Our torsion zone have particularly designed for heavy work with screws.
The torsion bits features hex cross sections which prevent damage during at work to the chunk.
The torsion shank absorbs the various impact shocks incurred during screw tightening work, which prevents damage over the tip and improves life cycle.
With the introduction of torsion bits, excessive load and high impact torque operation can be carried and performed easily.



Premium quality S2 Alloy Steel with high **Rockwell HRC** hardness.
Torsion Zone to prevent breakage and longer bit life.

25 / 50 / 88.9 / 152mm or other lengths are available.







Fit either end of ended bit into impact driver.





Precision Tip

CNC Machined
Reduces breakage

Torsion Zone


Absorbs torque peaks reducing stress at the tip

Hardened Core

Increases bit strength, reduces fracture

ASME standard torque test

Torsion bit fatigue dynamic test



Product Spec: PH2 (110mm)
Tip Torque: 115.2 kgf.cm
Tested Torque
Fatigue Cycle

*Tested data are based on the actual torque value

Item	WinFeatures	Competitor1	Competitor2
Tested Torque (kgf-cm)	110.7	108.5	105.2
Fatigue Cycle	2040	820	270



SCREWDRIVER BIT SET

Customized storage systems bring you convenient housing techniques and efficient tools.

- The mini storage case can be inserted into the case or added a hanger as an individual case.
- Move the detachable bit bar to any place of the case for easy storage.









- The clear lid shows detailed products with lightweight, but strong and durable features.



- Double-layer plastic holder. Easily switch between horizontal and vertical positioning to suit different storage and working needs.



- Adjustable 3-step angled bit bar.

WIN FEATURES

Color Box Packaging





PET Shrink Sleeve



Double Blister Packaging







32PC

Part No. 1W-032-72

8	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
1	SQ.	2
3	Torx.	T15 20 25
17	**1/4" x 50mm Bits**	
8	PH.	1 2 2 2 2 2 3 3
5	SQ.	1 2 2 2 3
4	Torx.	T25 25 25 27
3	**1/4" x 150mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
1	**1/4" x 60mm Torsion Stainless Steel Bit Holder**	
1	**1/4" x 150mm Torsion Stainless Steel Bit Holder**	



38PC

Part No. 1W-038-04

8	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
2	SQ.	2 2
2	Torx.	T20 25
24	**1/4" x 50mm Bits**	
9	PH.	1 1 2 2 2 2 2 3 3
5	SQ.	1 2 2 2 3
1	SL.	8
9	Torx.	10 15 20 20 25 25 25 30 40
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
3	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16" 3/8"
1	**1/4" x 60mm Quick Release Torsion Bit Holder**	



46PC

Part No. 1W-046-03

8	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
2	SQ.	2 2
2	Torx.	T20 25
24	**1/4" x 50mm Bits**	
9	PH.	1 1 2 2 2 2 2 3 3
5	SQ.	1 2 2 2 3
1	SL.	8
9	Torx.	T10 15 20 20 25 25 25 30 40
7	**1/4" x 150mm Bits**	
4	PH.	2 2 2 2
1	SQ.	2
2	Torx.	T25 25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
3	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16" 3/8"
1	**1/4" x 60mm Torsion Stainless Steel Bit Holder**	
1	**1/4" x 150mm Torsion Stainless Steel Bit Holder**	




64PC

Part No. 1W-064-02

16	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
1	PR2	
4	SQ.	1 2 2 3
7	Torx.	T10 15 20 25 25 30 40
48	**1/4" x 50mm Bits**	
17	PH.	1 1 1 2 2 2 2 2 2 2 2 2 2 2 3 3 3
3	PR2	
11	SQ.	1 2 2 2 2 2 2 2 2 3 3
1	SL.	8
16	Torx.	T15 20 20 25 25 25 25 25 25 25 25 25 T25 30 30 40


WIN FEATURES



39PC

Part No. 1W-039-03


16	**1/4" x 25mm Bits**
4	PH. 1 2 2 2
4	PZ. 1 2 2 2
4	Hex. 3 4 5 6
4	Torx. T20 20 25 25
10	**1/4" x 50mm Bits**
3	PH. 2 2 2
3	PZ. 2 2 2
4	Torx Tamper Resistant. T20 20 25 25
2	**1/4" x 50mm Dimpler Bits** PH2 T25
3	**1/4" x 150mm Bits** PH2 PZ2 T25
2	**1/4" x 50mm Socket Adapter** 1/4"Dr. 3/8"Dr.
1	**1/4" x 50mm Magnetic Nut Setter** 8mm
4	**1/4" Hex Shank Drill Bits** 3 4 5 6
1	**1/4" x 80mm Magnetic Extension Bit Holder**



43PC

Part No. 1W-043-03

16	**1/4" x 25mm Bits**
4	PH. 1 2 2 3
4	PZ. 1 2 2 3
8	Torx. T10 15 20 20 25 25 30 40
16	**1/4" x 50mm Bits**
4	PH. 1 2 2 3
4	PZ. 1 2 2 3
8	Torx. T10 15 20 20 25 25 30 40
3	**1/4" x 88.9mm Bits**
1	PH. 2
1	PZ. 2
1	Torx. T25
2	**1/4" x 50mm Dimpler Bits** PH2 T25
2	**1/4" x 50mm Socket Adapter** 1/4"Dr. 3/8"Dr.
3	**1/4" x 67mm Magnetic Nut Setter** 8 10 12mm
1	**1/4" x 50mm Magnetic Bit Holder**



44PC

Part No. 1W-044-00


16	**1/4" x 25mm Bits**
4	PH. 1 2 2 3
1	PR2.
2	SL. 8 10
5	SQ. 1 2 2 2 3
4	Torx. T15 20 25 25
16	**1/4" x 50mm Bits**
5	PH. 1 2 2 2 3
1	PR2.
1	SL. 8
4	SQ. 1 2 2 3
5	Torx. T15 20 20 25 25
6	**1/4" x 88.9mm Bits**
2	PH. 2 2
2	PZ. 2 2
2	Torx. T25 25
2	**1/4" x 50mm Socket Adapter** 1/4"Dr. 3/8"Dr.
3	**1/4" x 67mm Magnetic Nut Setter** 1/4" 5/16" 3/8"
1	**1/4" x 60mm Magnetic Bit Holder**



44PC

Part No. 1W-044-08


24	**1/4" x 25mm Bits**	
8	PH.	1 1 2 2 2 2 2 3
4	PZ.	1 2 2 3
4	Hex.	3 4 5 6
8	Torx.	T10 15 20 20 25 25 30 40
8	**1/4" x 50mm Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
2	Torx.	T20 25
2	**1/4" x 75mm Bits**	
1	PH.	2
1	Torx.	T25
4	**1/4" x 88.9mm Bits**	
2	PH.	2 2
2	PZ.	2 2
2	**1/4" x 65mm Double Ended Bits**	PH2xSL10 T25xT20
3	**1/4" x 67mm Magnetic Nut Setter**	8 10 13mm
1	**1/4" x 60mm Quick Release Bit Holder**	



47PC

Part No. 1W-047-03

16	**1/4" x 25mm Bits In Mini Box**	
5	PH.	1 2 2 3 3
4	SQ.	1 2 2 3
7	Torx.	T15 20 20 25 25 3 40
16	**1/4" x 50mm Bits**	
4	PH.	1 2 2 3
1	PR2.	
5	SQ.	1 2 2 2 3
6	Torx.	T10 15 20 20 25 25
3	**1/4" x 50mm Dimpler Bits**	PH2xSQ2 PH2xSL10 T20x25
1	**1/4" x 65mm Double Ended Bits**	PH2
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
2	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16"
6	**1/4" x Hex Shank Drill Bits**	1/8" 1/8" 5/32" 5/32" 3/16" 1/4"
1	**1/4" x 60mm Quick Release Bit Holder**	




50PC

Part No. 1W-050-03

16	**1/4" x 25mm Bits**	
2	PH.	1 2
2	PZ.	1 2
4	Hex.	3 4 5 6
8	Torx.	T10 15 20 20 25 25 30 40
20	**1/4" x 25mm Bits In Mini Box**	
10	PH.	2 2 2 2 2 2 2 2 2 2
10	PZ.	2 2 2 2 2 2 2 2 2 2
4	**1/4" x 50mm Bits**	
1	PH.	2
1	PZ.	2
2	Torx.	T20 25
4	**1/4" x 88.9mm Bits**	
1	PH.	2
1	PZ.	2
2	Torx.	T20 25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
3	**1/4" x 67mm Magnetic Nut Setter**	8 10 13mm
1	**1/4" x 75mm Torsion Stainless Steel Bit Holder**	

WIN FEATURES



53PC

Part No. 1W-053-00

16	**1/4" x 25mm Bits**	
3	PH.	1 2 3
2	SL.	8 10
3	SQ.	1 2 3
2	Hex.	3/16" 1/4"
6	Torx.	T10 15 20 25 30 40
20	**1/4" x 25mm Bits In Mini Box**	
8	PH.	2 2 2 2 2 2 2 2
6	SQ.	2 2 2 2 2 2
6	Torx.	T25 25 25 25 25 25
6	**1/4" x 50mm Bits**	
6	Torx.	T10 20 20 25 25 30
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
2	**3/8" x Dr. Long Socket**	3/8" 1/2"
6	**1/4" x Hex Shank Drill Bits**	3/32" 3/32" 5/32" 5/32" 3/16" 1/4"
1	**1/4" x 60mm Torsion Stainless Steel Bit Holder**	



54PC

Part No. 1W-054-01

8	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
1	PR2.	
3	Torx.	T15 20 25
26	**1/4" x 25mm Bits In Mini Box**	
9	PH.	1 1 1 2 2 2 2 2 2
9	SQ.	2 2 2 2 2 2 2 2 2
8	Torx.	T25 25 25 25 25 25 25 25
8	**1/4" x 50mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
2	Torx.	T25 25
5	**1/4" x 88.9mm Bits**	
2	PH.	2 2
1	PZ.	2
2	Torx.	T25 25
2	**1/4" x 50mm Dimpler Bits**	PH2 PH2
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
3	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16" 3/8"
1	**3" Magnetic Bit & Screwdriver Holder**	






58PC

Part No. 1W-058-01

16	**1/4" x 25mm Bits**	
3	PH.	1 2 3
1	PR2.	
3	PZ.	1 2 3
1	SL.	8
8	Torx.	T10 15 20 20 25 25 30 40
26	**1/4" x 25mm Bits In Mini Box**	
10	PH.	2 2 2 2 2 2 2 2 2 2
8	PZ.	2 2 2 2 2 2 2 2
8	Torx.	T25 25 25 25 25 25 25 25
8	**1/4" x 50mm Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
2	Torx.	T20 25
5	**1/4" x 150mm Bits**	
2	PH.	2 2
1	PZ.	2
2	Torx.	T20 25
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Torsion Stainless Steel Bit Holder**	
1	**1/4" x 150mm Torsion Stainless Steel Bit Holder**	



60PC

Part No. 1W-060-09

46	**1/4" x 25mm Bits**	
15	PH.	1 1 2 2 2 2 2 2 2 2 2 2 3 3 3
2	SL.	8 10
9	SQ.	1 2 2 2 2 2 3 3 3
6	Hex.	3 3 3 4 5 6
14	Torx.	T10 15 20 20 25 25 25 25 27 27 27 30 30 40
10	**1/4" x 50mm Bits**	
6	PH.	2 2 2 2 2 3
1	SQ.	2
3	Torx.	T25 25 30
2	**1/4" x 50mm Dimpler Bits**	PH2 PH2
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Torsion Stainless Steel Bit Holder**	



64PC


Part No. 1W-064-01

24	**1/4" x 25mm Bits**	
8	PH.	1 1 2 2 2 2 3 3
4	PZ.	1 2 2 3
4	Hex.	3 4 5 6
8	Torx.	T10 15 20 20 25 25 30 40
22	**1/4" x 25mm Bits In Mini Box**	
8	PH.	2 2 2 2 2 2 2 2
8	PZ.	2 2 2 2 2 2 2 2
6	Torx.	T25 25 25 25 25 25
3	**1/4" x 75mm Bits**	
1	PH.	2
1	PZ.	2
1	Torx.	T25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
2	**3/8" x Dr. Long Socket**	3/8" 1/2"
2	**1/4" x 67mm Magnetic Nut Setter**	8 10mm
1	**1/4" x 60mm Torsion Stainless Steel Bit Holder**	

WIN FEATURES

MULTIFUNCTIONAL SCREWDRIVER BITS & SOCKET SET





CUSTOMIZABLE HANGING STORAGE BOX

- The contents can be freely arranged and replaced to suit your needs.
- Easily customize the tool configuration for different applications, keep your tools organized and ready to use.





68PC

Part No. 1W-068-00



35PC

Part No. 1W-035-03



PP TRANSPARENT BOX BITS SET

Mix & Match
Easy to Customize
Flexible Storage





94PC

Part No. 1W-094-00

56	**4mm x 25mm Precision Bits**
4	PH. 000 00 0 1
4	PZ. 000 00 0 1
6	SL. 1 1.3 1.5 2 2.5 3
4	Hex. (Metric) 0.7 0.9 1.3 1.5
4	Hex. (SAE) 1/16" 5/64" 3/32" 7/64"
3	Hex Tamper Resistant. (Metric) 2.5 3 4
3	Hex Tamper Resistant. (SAE) 3/32" 1/8" 5/32"
5	Torx. T2 3 4 5 6
6	Torx Tamper Resistant. TT6 7 8 9 10 15
3	JIS. 00 0 1
3	Pentalobe. P2 5 6
4	Tri-wing. Y000 00 0 1
4	TA 2 2.2 2.6 3
2	Spanner 4 6
1	STAND OFF
2	**4mm x 25mm Game Bits** 3.8 4.5
4	**4mm x 25mm Nut Drivers** 2.5 3 4 5
20	**1/4" x 25mm Bits**
3	PH. 1 2 3
3	SQ. 1 2 3
2	SL. 4 6
5	Hex Tamper Resistant 5 6 1/8 5/32 3/16
7	Torx Tamper Resistant. TT9 10 15 20 25 30 40
5	**1/4" x 50mm Bits** PH2 SQ2 SL8 T20 T25
5	**1/4" Dr. Sockets** 3/16" 1/4" 5/16" 3/8" 1/2"
1	**1/4" x 25mm Adapter** 1/4"Dr.
1	**2 in 1 Screwdriver for 4mm & H1/4" Accessories**



52PC

Part No. 1W-052-02

10	**1/4" Dr. Sockets**
10	5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"
30	**1/4" x 25mm Bits**
4	PH. 1 2 2 3
3	PZ. 1 2 3
4	SQ. 1 2 2 3
4	SL. 3 4 5 6
4	Hex. 3 4 5 6
5	Torx. T15 T20 T25 T30 T40
6	Torx Tamper Resistant. TT10 15 20 25 30 40
6	**1/4" 50mm Bits** PH2 PZ2 SQ2 SL8 T20 T25
1	**1/4" x 25mm Adapter** 1/4"Dr.
1	**1/4" Dr. x 1/4" Bit Coupler**
1	**1/4" Dr. 60T x 60L Ratchet Head**
1	**1/4" Dr. 90T x Ratchet Head -42.5L**
1	**1/4" Dr. Screwdriver Handle -100L**
1	**1/4" 60mm Stainless Steel Bit Holder**

VARIOUS COMBINATIONS FOR YOUR CHOICES CASE OPTIONS

- Perfect durable case for easy storage and display
- Belt-hanging design for easier access
- Unique 360° rotatable clip design
- Stylish multi-color case for choices







Foggy



Logo-covered



Clear



Shaded



Matte

Bit Finish Options

Satin Nickel	
Mirror Chrome	
Stainless Steel	
Zinc Phosphate	
Manganese phosphate	

Bit Holder Options

Unit: mm



75 66.5 65 60 60 50



DOUBLE BLISTER W/CARD



DISPLAY BOX

WIN FEATURES



Black
Manganese Phosphate



32PC

Part No. 1W-032-41

30	**1/4" x 25mm Color Coded Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
4	SL.	3 4 5 6
4	Hex.	3 4 5 6
7	Torx.	T10 15 20 25 27 30 40
7	Torx Tamper Resistant.	TT10 15 20 25 27 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 65mm Quick Release Bit Holder**	



Satin Nickel



32PC

Part No. 1W-032-54

30	**1/4" x 25mm Color Coded Bits**	
4	PH.	1 2 3 4
4	PZ.	1 2 3 4
4	SL.	3 4 5.5 6.5
6	Hex.	2 2.5 3 4 5 6
6	Torx.	T15 15 20 25 30 40
6	Torx Tamper Resistant.	TT15 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Quick Release Bit Holder**	



Mirror Chrome



32PC

Part No. 1W-032-65

30	**1/4" x 25mm Color Coded Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
4	SL.	3 4 5 6
4	Hex.	3 4 5 6
7	Torx.	T10 15 20 25 27 30 40
7	Torx Tamper Resistant.	TT10 15 20 25 27 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Magnetic Bit Holder**	



Zinc Phosphate

32PC



Part No. 1W-032-06

30	**1/4" x 25mm Bits**	
4	PH.	1 2 3 4
4	PZ.	1 2 3 4
4	SL.	3 4 5.5 6.5
6	Hex.	2 2.5 3 4 5 6
6	Torx.	T15 15 20 25 30 40
6	Torx Tamper Resistant.	TT15 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Quick Release Bit Holder**	



Black Nickel Plated

32PC



Part No. 1W-032-15

30	**1/4" x 25mm Bits**	
4	PH.	1 2 3 4
4	SL.	3 4 5.5 6.5
4	SQ.	1 2 2 3
6	Hex.	2 2.5 3 4 5 6
6	Torx.	T15 15 20 25 30 40
6	Torx Tamper Resistant.	TT15 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



Stainless Steel

32PC



Part No. 1W-032-59

30	**1/4" x 25mm Bits**	
4	PH.	1 2 3 4
4	PZ.	1 2 3 4
4	SL.	3 4 5.5 6.5
6	Hex.	2 2.5 3 4 5 6
6	Torx.	T15 15 20 25 30 40
6	Torx Tamper Resistant.	TT15 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 65mm Quick Release Bit Holder**	

WIN FEATURES



Zinc Phoshate

32PC



Part No. 1W-032-42

30	**1/4" x 25mm Color Coded Bits**	
4	PH.	1 2 3 4
4	SL.	3 4 5.5 6.5
4	SQ.	1 2 3 4
6	Hex.	2 2.5 3 4 5 6
6	Torx.	T15 15 20 25 30 40
6	Torx Tamper Resistant.	TT15 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	





Zinc Phoshate

32PC



Part No. 1W-032-18

29	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
3	PZ.	1 2 3
3	SL.	4.5 5.5 6.5
4	SQ.	0 1 2 3
6	Hex.	4 5 6 5/32" 3/16" 1/4"
6	Torx.	T10 15 20 25 30 40
3	Torx Tamper Resistant.	TT20 25 30
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 50mm Magnetic Bit Holder**	

32PC

Part No. 1W-032-24



29	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
3	PZ.	1 2 3
3	SL.	4.5 5.5 6.5
4	SQ.	0 1 2 3
6	Hex.	4 5 6 5/32" 3/16" 1/4"
6	Torx.	T10 15 20 25 30 40
3	Torx Tamper Resistant.	TT20 25 30
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 66.5mm One-Touch Slim Lock Bit Holder**	



Zinc Phoshate



32PC

Part No. 1W-032-25

29	**1/4" x 25mm Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
3	SL.	4 4.5 5.5
4	Hex.	3 4 5 6
11	Torx.	T10 15 20 20 25 25 27 27 30 30 40
5	Torx Tamper Resistant.	TT10 15 20 25 30
1	**1/4" Bit Coupler**	1/4"Dr.
1	**1/4" 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	





Black
Manganese Phosphate



32PC

Part No. 1W-032-35

30	**1/4" x 25mm Color Coded Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
4	SL.	3 4 5 6
4	Hex.	3 4 5 6
7	Torx.	T10 15 20 25 27 30 40
7	Torx Tamper Resistant.	TT10 15 20 25 27 30 40
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 50mm Magnetic Bit Holder**	



32PC

Part No. 1W-032-36

30	**1/4" x 25mm Color Coded Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
4	SL.	3 4 5 6
4	Hex.	3 4 5 6
7	Torx.	T10 15 20 25 27 30 40
7	Torx Tamper Resistant.	TT10 15 20 25 27 30 40
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 66.5mm One-Touch Slim Lock Bit Holder**	

WIN FEATURES





Zinc Phoshate



23PC Metric

Part No. 1W-023-06

7	**1/4" x Dr. Sockets**	6 7 8 10 11 12 13mm
13	**1/4" x 25mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4.5 5.5
3	Hex.	3 4 5
4	Torx.	T15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 50mm Magnetic Bit Holder**	





23PC Metric

Part No. 1W-023-09

7	**1/4" x Dr. Sockets**	6 7 8 10 11 12 13mm
13	**1/4" x 25mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4.5 5.5
3	Hex.	3 4 5
4	Torx.	T15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 66.5mm One-Touch Slim Lock Bit Holder**	





Zinc Phoshate



23PC SAE

Part No. 1W-023-10

7	**1/4" x Dr. Sockets**	3/16" 1/4" 5/16" 11/32" 3/8" 7/16" 1/2"
13	**1/4" x 25mm Bits**	
2	PH.	1 2
2	SQ.	1 2
2	SL.	3/16" 1/4"
3	Hex.	5/32" 3/16" 1/4"
4	Torx.	T15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 50mm Magnetic Bit Holder**	





23PC SAE

Part No. 1W-023-07

7	**1/4" x Dr. Sockets**	3/16" 1/4" 5/16" 11/32" 3/8" 7/16" 1/2"
13	**1/4" x 25mm Bits**	
2	PH.	1 2
2	SQ.	1 2
2	SL.	3/16" 1/4"
3	Hex.	5/32" 3/16" 1/4"
4	Torx.	T15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 66.5mm One-Touch Slim Lock Bit Holder**	



Zinc Phoshate



23PC Spline

Part No. 1W-023-08



7	**1/4" x Dr. Sockets**	6 7 8 10 11 12 13mm
13	**1/4" x 25mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4.5 5.5
3	Hex.	3 4 5
4	Torx.	T15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 50mm Magnetic Bit Holder**	

SPLINE SOCKET

23PC Spline

Part No. 1W-023-11



7	**1/4" x Dr. Sockets**	6 7 8 10 11 12 13mm
13	**1/4" x 25mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4.5 5.5
3	Hex.	3 4 5
4	Torx.	T15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 66.5mm One-Touch Slim Lock Bit Holder**	



32PC

Part No. 1W-032-56

29	**1/4" Color Coded 25mm Bits**	
4	PH.	1 2 3 4
3	PZ.	1 2 3
3	SL.	4.5 5.5 6.5
4	SQ.	0 1 2 3
6	Hex.	4 5 6 5/32" 3/16" 1/4"
6	Torx.	T10 15 20 25 30 40
3	Torx Tamper Resistant.	TT20 25 30
1	**1/4" 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Dr.*1/4" Bit Coupler**	
1	**1/4" 60mm Magnetic Quick Release Bit Holder**	



32PC

Part No. 1W-032-70

29	**1/4" 25mm Bits**	
4	PH.	1 2 3 4
4	PZ.	1 2 3 4
4	SL.	3 4 5.5 6.5
6	Hex.	2 2.5 3 4 5 6
6	Torx.	T15 15 20 25 30 40
6	Torx Tamper Resistant.	T15 15 20 25 30 40
1	**1/4" 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Dr.*1/4" Bit Coupler**	
1	**1/4" 60mm Magnetic Quick Release Bit Holder**	

WIN FEATURES



6 PT SOCKET

30PC Metric

Part No. 1W-030-00

7	**1/4" x Dr. Sockets**	6 7 8 10 11 12 13mm
20	**1/4" x 25mm Bits**	
5	PH.	1 2 2 3 4
4	SL.	3 4 5 6
6	Torx.	T10 15 20 25 30 40
5	Torx Tamper Resistant.	TT10 15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 90mm 48T Push Stubby Bit Ratchet Wrench**	
1	**1/4" x 65mm Swivel Bit Holder**	



32PC

Part No. 1W-032-08

29	**1/4" x 25mm Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
4	SL.	4 4.5 6.5 8
4	Hex.	3 4 5 6
8	Torx.	T8 10 15 20 25 27 30 40
7	Torx Tamper Resistant.	TT10 15 20 25 27 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" Mini Bit Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



39PC Metric

Part No. 1W-039-08

7	**1/4" x Dr. Sockets**	6 7 8 10 11 12 13mm
29	**1/4" x 25mm Bits**	
5	PH.	1 2 2 3 4
3	PZ.	2 3 4
4	SL.	3 4 5.5 6.5
6	Hex.	2 2.5 3 4 5 6
6	Torx.	T10 15 20 25 30 40
5	Torx Tamper Resistant.	TT10 15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x Mini Bit Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

6 PT SOCKET

39PC SAE

Part No. 1W-039-08

7	**1/4" x Dr. Sockets**	1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"
29	**1/4" x 25mm Bits**	
5	PH.	1 2 2 3 4
3	SQ.	1 2 3
4	SL.	3 4 3/16" 1/4"
6	Hex.	2 2.5 3 5/32" 3/16" 1/4"
6	Torx.	T10 15 20 25 30 40
5	Torx Tamper Resistant.	TT10 15 20 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x Mini Bit Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



6 PT SOCKET

32PC Metric

Part No. 1W-032-64

10	**1/4" x Dr. Sockets**	5 6 7 8 9 10 11 12 13 14mm
17	**1/4" x 25mm Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
2	SL.	4 6
3	Hex.	4 5 6
6	Torx.	T15 20 25 27 30 40
1	**1/4"Dr. x 1/4" Hex. Bit Adaptor**	
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 50mm Extension Bar (Knurled Shaft)**	
1	**1/4" x 100mm 72T Bit Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

32PC SAE

Part No. 1W-032-63

10	**1/4" x Dr. Sockets**	
	5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"	
17	**1/4" x 25mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
2	SL.	3/16" 1/4"
3	Hex.	5/32" 3/16" 1/4"
6	Torx.	T15 20 25 27 30 40
1	**1/4"Dr. x 1/4" Hex. Bit Adaptor**	
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 50mm Extension Bar (Knurled Shaft)**	
1	**1/4" x 100mm 72T Bit Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

SPLINE SOCKET

32PC Spline

Part No. 1W-032-62

10	**1/4" x Dr. Sockets**	5 6 7 8 9 10 11 12 13 14mm
17	**1/4" x 25mm Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
2	SL.	4.5 6.5
3	Hex.	4 5 6
6	Torx.	T15 20 25 27 30 40
1	**1/4"Dr. x 1/4" Hex. Bit Adaptor**	
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 50mm Extension Bar (Knurled Shaft)**	
1	**1/4" x 100mm 72T Bit Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

WIN FEATURES



6 PT SOCKET

39PC Metric

Part No. 1W-039-00

7	**1/4" x Dr. Sockets**	6 7 8 10 11 12 13mm
29	**1/4" x 25mm Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
4	SL.	4 4.5 6.5 8
4	Hex.	3 4 5 6
8	Torx.	T8 10 15 20 25 27 30 40
7	Torx Tamper Resistant.	TT10 15 20 25 27 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 90mm 48T Push Stubby Bit Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

39PC SAE

Part No. 1W-039-07

7	**1/4" x Dr. Sockets**	1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"
29	**1/4" x 25mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
4	SL.	1/8" 5/32" 3/16" 1/4"
4	Hex.	1/8" 5/32" 3/16" 1/4"
8	Torx.	T8 10 15 20 25 27 30 40
7	Torx Tamper Resistant.	TT10 15 20 25 27 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 90mm 48T Push Stubby Bit Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



6 PT SOCKET

43PC Metric

Part No. 1W-043-00

10	**1/4" x Dr. Sockets**	4 5 6 7 8 9 10 11 12 13mm
29	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
3	SL.	4 5 6
8	Hex.	2 2 2.5 3 3 4 5 6
6	Torx.	T10 15 20 25 30 40
4	Torx Tamper Resistant.	TT20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 50mm Extension Bar**	
1	**1/4" x 72T Dual-Drive Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

43PC SAE

Part No. 1W-043-01

10	**1/4" x Dr. Sockets**	
	5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"	
29	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
3	SL.	4 5 6
4	SQ.	1 2 2 3
6	Hex.	4 5 6 5/32" 3/16" 1/4"
6	Torx.	T10 15 20 25 30 40
6	Torx Tamper Resistant.	TT10 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 50mm Extension Bar**	
1	**1/4" x 72T Dual-Drive Ratchet Wrench**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



61PC

Part No. 1W-061-00

59	**1/4" x 25mm Bits**	
5	PH.	0 1 2 2 3
5	PZ.	0 1 2 2 3
5	SL.	3 4.5 5.5 6.5 8
7	Hex Tamper Resistant.	2.5 3 4 4 5 6 8
10	Torx.	T8 10 10 15 15 20 25 27 30 40
7	Torx Tamper Resistant.	TT8 10 10 15 15 20 25
3	Torq-Set.	6 8 10
4	Spanner.	4 6 8 10
4	Spline.	5 5 6 8
4	Clutch.	1 2 2 3
4	Tri-Wing.	1 2 2 3
1	Y-Design Hook Hanging Bit	
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



62PC

Part No. 1W-062-00

60	**1/4" x 25mm Bits**	
11	PH.	1 1 1 2 2 2 2 2 3 3 3
9	PZ.	1 1 1 2 2 2 3 3 3
6	SL.	4 4 5 5 6 6
13	Hex.	2 2 2 3 3 3 4 4 4 5 5 6 6
7	Torx.	T10 15 20 25 27 30 40
14	Torx Tamper Resistant.	TT10 10 15 15 20 20 25 TT25 27 27 30 30 40 40
1	**1/4" x 50mm Magnetic Socket Adapter**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



71PC

Part No. 1W-071-01

60	**1/4" x 25mm Bits**	
12	PH.	1 1 1 2 2 2 2 2 2 3 3 3
12	PZ.	1 1 1 2 2 2 2 2 2 3 3 3
6	SL.	4 4 4 6 6 6
9	Hex.	4 4 4 5 5 5 6 6 6
21	Torx.	T10 10 10 15 15 15 20 20 20 25 25 25 T27 27 27 30 30 30 40 40 40
9	**1/4" x 75mm Bits**	
3	PH.	1 2 3
2	PZ.	1 2
2	SL.	4 6
2	Torx.	T20 25
1	**1/4" x 60mm Magnetic Bit Holder**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

WIN FEATURES

23PC

Part No. 1W-023-35



Bit Finish Options

- 10 x From #1 - #10 Size Of Drills
- 10 x From #1 - #10 Size Of Extractors
- 1 x 1/4" to 4 mm Driver Adapter
- 1 x Y Hook Driver
- 1 x 1/4" Dr.x 60mm Bit Holder

	1/4"					4mm				
EX#	1	2	3	4	5	6	7	8	9	10
Dr#	1	2	3	4	5	6	7	8	9	10
Screw Thread Diameter(mm)	6-12	5-10	4-8		3-5	3.5-6.5		3.5-5.5	2.5-4.5	2-3.5


The Size of #6-#10 Need to Be Installed in the Socket Adapter First and Then Attach It to the Extension Bit Holder.



25PC

Part No. 1W-025-05


8	**1/4" x 25mm Bits**	
3	PH.	1 2 3
2	SL.	8 10
3	SQ.	1 2 3
8	**1/4" x 50mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
2	Torx.	T20 25
1	**1/4" x 50mm Socket Adapter**	3/8"Dr.
2	**3/8" x Dr. Long Socket**	3/8" 1/2"
3	**1/4" x Hex Shank Drill Bits**	1/4" 3/16" 1/8"
2	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16"
1	**1/4" x 75mm Torsion Stainless Steel Bit Holder**	



38PC

Part No. 1W-038-03


24	**1/4" x 25mm Bits**	
5	PH.	1 2 2 2 3
5	PZ.	1 2 2 2 3
4	Hex.	3 4 5 6
10	Torx.	T10 15 20 20 20 25 25 25 30 40
8	**1/4" x 50mm Bits**	
3	PH.	2 2 2
3	PZ.	2 2 2
2	Torx.	T20 25
1	**1/4" x 50mm Dimpler Bit**	PH2
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
2	**1/4" x 50mm Magnetic Nut Setter**	8 10mm
1	**1/4" x 75mm Torsion Stainless Steel Bit Holder**	



40PC

Part No. 1W-040-01

8	**1/4" x 25mm Bits**	
8	Torx.	T10 15 20 20 25 25 30 40
22	**1/4" x 50mm Bits**	
11	PH.	1 1 1 2 2 2 2 2 3 3 3
3	PR2	
6	SQ.	1 2 2 2 2 3
2	Torx.	T25 25
6	**1/4" x 75mm Bits**	
2	PH.	2 2
2	SQ.	2 2
2	Torx.	T25 25
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
2	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16"
1	**1/4" x 50mm Magnetic Bit Holder**	




42PC

Part No. 1W-042-05

8	**1/4" x 25mm Bits**	
1	PH.	2
1	PZ.	2
3	Hex.	3 4 5
3	Torx.	T15 20 25
20	**1/4" x 25mm Bits in Mini Box**	
10	PH.	2 2 2 2 2 2 2 2 2 2
10	PZ.	2 2 2 2 2 2 2 2 2 2
8	**1/4" x 50mm Bits**	
3	PH.	2 2 2
3	PZ.	2 2 2
2	Torx.	T20 25
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
1	**1/4" x 50mm Magnetic Nut Setter**	8mm
1	**1/4" x 60mm Quick Release Bit Holder**	


WIN FEATURES



45PC

Part No. 1W-045-05


32	**1/4" x 25mm Bits**	
8	PH.	1 1 2 2 2 2 3 3
8	SQ.	1 1 2 2 2 2 3 3
2	SL.	8 10
4	Hex.	3 4 5 6
10	Torx.	T10 15 20 20 25 25 25 25 30 40
9	**1/4" x 50mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
3	Torx.	T20 25 30
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
2	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16"
1	**1/4" x 60mm Magnetic Torsion Bit Holder**	



48PC

Part No. 1W-048-17


32	**1/4" x 25mm Bits**	
8	PH.	1 1 2 2 2 2 3 3
2	PR2.	
8	SQ.	1 1 2 2 2 2 3 3
2	SL.	8 10
4	Hex.	3 4 5 6
8	Torx.	T10 15 20 20 25 25 30 40
7	**1/4" x 50mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
1	Torx.	T25
2	**1/4" x 75mm Bits**	
1	PH.	2
1	Torx.	T25
1	**1/4" x 50mm Dimpler Bit**	PH2
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
3	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16" 3/8"
1	**1/4" x 60mm Quick Release Bit Holder**	



50PC

Part No. 1W-050-05

16	**1/4" x 25mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
3	SL.	6 8 10
7	Torx.	T10 15 20 25 25 30 40
20	**1/4" x 25mm Bits in Mini Box**	
10	PH.	2 2 2 2 2 2 2 2 2 2
10	SQ.	2 2 2 2 2 2 2 2 2 2
8	**1/4" x 50mm Bits**	
3	PH.	2 2 2
3	SQ.	2 2 2
2	Torx.	T20 25
3	**1/4" x 75mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
1	**1/4" x 67mm Magnetic Nut Setter**	5/16"
1	**1/4" x 60mm Quick Release Bit Holder**	



58PC

Part No. 1W-058-02

16	**1/4" x 25mm Bits**	
2	PH.	1 2
3	SL.	6 8 10
3	Hex.	4 5 6
8	Torx.	T10 15 20 20 5 30 30 40
26	**1/4" x 25mm Bits in Mini Box**	
10	PH.	2 2 2 2 2 2 2 2 2 2
8	SQ.	2 2 2 2 2 2 2 2
8	Torx.	T25 25 25 25 25 5 25 25
8	**1/4" x 50mm Bits**	
3	PH.	2 2 2
3	SQ.	2 2 2
2	Torx.	T20 25
6	**1/4" x 88.9mm Bits**	
2	PH.	2 2
2	SQ.	2 2
2	Torx.	T20 25
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
1	**1/4" x 60mm Bit Holder**	



54PC

Part No. 1W-054-00

48	**1/4" x 25mm Bits**	
5	PH.	0 1 2 2 3
5	SQ.	0 1 2 2 3
4	SL.	3 4 5 6
5	Torx.	T8 10 15 20 25
7	Torx Tamper Resistant.	TT8 10 15 20 25 30 40
6	Hex Tamper Resistant.	HT2.5 3 4 5 6 8
4	Spanner.	4 6 8 10
3	Torq-Set.	6 8 10
3	Spline	5 6 8
3	Clutch	1 2 3
3	Tri-Wing	1 2 3
1	**1/4" x 50mm Bits**	PH2
1	**1/4" x 50mm Dimpler Bit**	PR2
1	**Y-Design Hook Hanging Bit**	
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
1	**1/4" x 60mm Bit Holder**	



40PC

Part No. 1W-040-04

16	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
1	PR2.	
4	SQ.	1 2 2 3
7	Torx.	T10 15 20 25 27 30 40
14	**1/4" x 50mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
2	SL.	8 10
6	Torx.	T10 15 20 25 30 40
3	**1/4" x 88.9mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
2	**1/4" x 50mm Dimpler Bit**	PH2 SQ2
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
2	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16"
1	**1/4" x 60mm Magnetic Torsion Bit Holder**	

WIN FEATURES



48PC

Part No. 1W-048-13

32	**1/4" x 25mm Bits**	
5	PH.	1 2 2 2 3
2	PR2.	
5	SQ.	1 2 2 2 3
5	SL.	3 4 5 6 8
5	Hex.	3 4 5 6 8
10	Torx.	T10 15 20 20 25 25 27 30 30 40
2	**1/4" x 50mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2
2	Torx.	T20 25
2	**1/4" x 88.9mm Bits**	
1	PH.	2
1	SQ.	2
1	**1/4" x 50mm Dimpler Bit**	SQ2
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
3	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16" 3/8"
1	**1/4" x 60mm Quick Release Bit Holder**	



43PC

Part No. 1W-043-04

24	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
6	SL.	3 4 4.5 5 5.5 6
4	Hex.	3 4 5 6
3	Torx.	T10 15 20
3	Torx Tamper Resistant.	TT25 30 40
4	**1/4" x 50mm Bits**	
1	PH.	1
1	PZ.	1
1	SL.	6
1	Torx.	T20
4	**1/4" x 75mm Bits**	
1	PH.	2
1	PZ.	2
1	SL.	4
1	Torx.	T25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
5	**1/4" x Hex Shank Drill Bits**	2.0 2.5 3.0 4.0 5.0 mm
3	**1/4" x 50mm Magnetic Nut Setter**	8 10 12mm
1	**1/4" x 65mm One-Touch Magnetic Bit Holder**	



44PC

Part No. 1W-044-05

24	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
6	SL.	3 4 4.5 5 5.5 6
4	Hex.	3 4 5 6
3	Torx.	T10 T15 T20
3	Torx Tamper Resistant.	TT25 30 40
8	**1/4" x 50mm Bits**	
3	PH.	1 2 3
2	PZ.	1 2
2	SL.	4 6
1	Torx.	T25
8	**1/4" x 75mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4 6
2	Torx.	T20 25
3	**1/4" x 65mm Magnetic Nut Setter**	8 10 12mm
1	**1/4" x 65mm Quick Change Magnetic Bit Holder**	



45PC

Part No. 1W-045-00

16	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
1	PR2.	
4	PZ.	1 2 2 3
7	Torx.	T10 15 20 25 27 30 40
16	**1/4" x 50mm Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
8	Torx.	T10 15 20 25 25 27 30 40
3	**1/4" x 88.9mm Bits**	
1	PH.	2
1	PZ.	2
1	Torx.	T25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
4	**1/4" x Hex Shank Drill Bits**	1/8" 5/32" 3/16" 1/4"
3	**1/4" x 67mm Magnetic Nut Setter**	8 10 13mm
1	**1/4" x 60mm Magnetic Torsion Bit Holder**	

WIN FEATURES



59PC

Part No. 1W-059-05

41	**1/4" x 25mm Bits**	
28	PH.	1 2(x26) 3
1	PR2.	
4	SQ.	1 2 2 3
8	Torx.	T10 15 20 20 25 25 30 40
8	**1/4" x 50mm Bits**	
3	PH.	2 2 3
2	SQ.	2 2
1	SL.	8
2	Torx.	T20 25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
5	**3/8" x Dr. Long Socket**	3/8" 7/16" 1/2" 9/16" 5/8"
2	**1/4" x 50mm Magnetic Nut Setter**	5/16" 3/8"
1	**1/4" x 75mm Magnetic Torsion Bit Holder**	



40PC

Part No. 1W-040-03

28	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
2	PR2.	
4	SQ.	1 2 2 3
5	SL.	3 4 5 6 8
5	Hex.	3 4 5 6 8
8	Torx.	T10 15 20 20 25 25 30 40
6	**1/4" x 50mm Bits**	
1	PH.	2
1	PR2	
2	SQ.	1 2
1	SL.	6
1	Torx.	T25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
3	**1/4" x 50mm Magnetic Nut Setter**	1/4" 5/16" 3/8"
1	**1/4" x 60mm Quick Change Bit Holder**	



39PC

Part No. 1W-039-11


22	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
4	SQ.	1 2 2 3
4	SL.	3 4 2 3
3	Hex.	4 5 6
7	Torx.	T10 15 20 25 27 30 40
9	**1/4" x 50mm Bits**	
3	PH.	1 2 2
2	SQ.	1 2
2	SL.	4 6
2	Torx.	T20 25
3	**1/4" x 88.9mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
1	**1/4" x 50mm Dimpler Bit**	PH2
3	**1/4" x 50mm Magnetic Nut Setter**	1/4" 5/16" 3/8"
1	**1/4" x 60mm Magnetic Bit Holder**	



40PC

Part No. 1W-040-05

28	**1/4" x 25mm Bits**	
5	PH.	1 2 2 2 3
2	PR2.	
5	SQ.	1 2 2 2 3
5	SL.	3 4 5 6 8
4	Hex.	3 4 5 6
7	Torx.	T10 15 20 25 25 30 40
3	**1/4" x 50mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
3	**1/4" x 88.9mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
3	**1/4" x 50mm Magnetic Nut Setter**	1/4" 5/16" 3/8"
1	**1/4" x 75mm Magnetic Bit & Screw Holder**	



46PC

Part No. 1W-046-02

35	**1/4" x 25mm Bits**	
9	PH.	1 1 2 2 2 2 2 3 3
9	SQ.	1 1 2 2 2 2 2 3 3
4	SL.	6 6 8 10
13	Torx.	T10 15 15 20 20 25 25 25 25 30 30 40 40
5	**1/4" x 50mm Bits**	
3	PH.	2 2 2
1	SQ.	2
1	Torx.	T25
3	**1/4" x 88.9mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
1	**1/4" x 50mm Magnetic Nut Setter**	5/16"
1	**1/4" x 50mm Magnetic Stainless Steel Bit Holder**	



40PC

Part No. 1W-040-14

28	**1/4" x 25mm Bits**	
8	PH.	1 1 2 2 2 2 3 3
7	SQ.	1 1 2 2 2 3 3
4	SL.	6 6 8 10
9	Torx.	T10 15 20 20 25 25 25 30 40
6	**1/4" x 50mm Bits**	
2	PH.	2 2
2	SQ.	2 2
2	Torx.	T25 25
2	**1/4" x 75mm Bits**	
1	PH.	2
1	Torx.	T25
1	**1/4" x 50mm Dimpler Bit**	PH2
2	**1/4" x 67mm Magnetic Nut Setter**	5/16" 3/8"
1	**1/4" x 75mm Magnetic Bit & Screw Holder**	

WIN FEATURES



35PC

Part No. 1W-035-02

14	**1/4" x 25mm Bits**	
6	PH.	1 2 2 2 2 3
5	SQ.	1 2 2 2 3
3	SL.	6 6 8
11	**1/4" x 50mm Bits**	
2	PH.	1 2
2	SQ.	1 2
7	Torx.	T10 15 20 25 25 30 40
7	**1/4" x 88.9mm Bits**	
3	PH.	1 2 2
2	PZ.	1 2
2	Torx.	T25 25
2	**1/4" x 50mm Magnetic Nut Setter**	1/4" 5/16"
1	**1/4" x 50mm Stainless Steel Bit Holder**	



40PC

Part No. 1W-040-15

21	**1/4" x 25mm Bits**	
5	PH.	1 2 2 2 3
5	SQ.	1 2 2 2 3
4	SL.	6 6 8 10
7	Torx.	T10 15 20 25 25 30 40
14	**1/4" x 50mm Bits**	
7	PH.	1 1 2 2 2 2 3
2	SQ.	1 2
5	Torx.	T10 15 20 25 30
2	**1/4" x 50mm Socket Adapter**	1/4"Dr. 3/8"Dr.
2	**1/4" x 67mm Magnetic Nut Setter**	1/4" 5/16"
1	**1/4" x 60mm Stainless Steel Bit Holder**	



62PC

Part No. 1W-062-02

42	**1/4" x 25mm Bits**	
10	PH.	1 1 2 2 2 2 2 2 3 3
10	SQ.	1 1 2 2 2 2 2 2 3 3
10	SL.	3 3 4 4 5 5 6 6 8 8
12	Torx.	T10 10 15 15 20 20 25 25 30 30 40 40
9	**1/4" x 50mm Bits**	
3	PH.	1 2 2
1	PR2.	
2	SQ.	1 2
2	SL.	8
1	Torx	T25
3	**1/4" x 88.9mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
1	**1/4" x 50mm Dimpler Bit**	PH2
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
4	**1/4" x Hex Shank Drill Bits**	1/8" 5/32" 3/16" 1/4"
2	**1/4" x 60mm Stainless Steel Bit Holder**	



71PC

Part No. 1W-071-00

49	**1/4" x 25mm Bits**	
10	PH.	1 1 2 2 2 2 2 2 3 3
10	SQ.	1 1 2 2 2 2 2 2 3 3
10	SL.	3 3 4 4 5 5 6 6 8 8
4	Hex.	3 4 5 6
12	Torx.	T10 10 15 15 20 20 25 25 30 30 40 40
3	Torx Tamper Resistant.	TT15 20 25
10	**1/4" x 50mm Bits**	
3	PH.	1 2 2
2	SQ.	1 2
2	SL.	8 8
3	Torx.	T20 25 25
3	**1/4" x 88.9mm Bits**	
1	PH.	2
1	SQ.	2
1	Torx.	T25
2	**1/4" x 50mm Dimpler Bit**	PH2 SQ2
1	**1/4" x 50mm Socket Adapter**	1/4"Dr.
1	**1/4" x 65mm Socket Adapter**	1/4"Dr.
3	**1/4" x 65mm Magnetic Nut Setter**	5/16" 3/8" 2/1"
1	**1/4" x 60mm Magnetic Bit Holder**	
1	**1/4" x 80mm Magnetic Extension Bit Holder**	



PROMOTION DISPLAY



DISPLAY BOX



QUARTER PALLET PACKAGING

WIN FEATURES



105PC

Part No. 1W-105-00

65	**1/4" x 25L Screwdriver Bits**	
6	PH.	1 2 2 2 2 3
5	SL.	3 4 5 6 8
6	SQ.	1 2 2 2 2 3
10	Hex (SAE)	1/8" 1/8" 5/32" 5/32" 3/16" 3/16" 7/32" 7/32" 1/4" 1/4"
6	Hex Tamper Resistant.	2 2.5 3 4 5 6
8	Torx.	T8 10 15 20 25 27 30 40
8	Torx Tamper Resistant.	TT8 10 15 20 25 27 30 40
4	Spanner	4 6 8 10
3	Torq-Set	6 8 10
3	Spline	5 6 8
3	Clutch	1 2 3
3	T-W.	1 2 3
1	**1- 1/4" 25mm Dr. Socket Adaptor**	
20	**1/4" x 50L Screwdriver Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
3	SQ.	1 2 3
3	SL.	4 6 8
4	Hex.	3 4 5 6
4	Torx.	T15 20 25 30
6	**1/4" x 88.9L Screwdriver Bits**	
2	PH.	2 2
1	PZ.	2
1	SQ.	2
2	Torx.	T20 25
9	**3/8" Dr. Long Sockets**	1/4" 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"
2	**3/8" 65mm Adapter**	
1	**1/4" 60mm Magnetic Bit Holder**	
1	**1/4" 60mm Magnetic Quick Change Bit Holder**	



NEW KRAFT PAPER BOX PACKAGING



186PC

Part No. 1W-185-00

137	**1/4" x 25mm Screwdriver Bits**	
14	PH.	1 1 1 2 2 2 2 2 2 2 2 3 3 3
14	PZ.	1 1 1 2 2 2 2 2 2 2 2 3 3 3
16	SL.	3 3 4 4 4.5 4.5 5 5 5.5 5.5 6 6 6.5 6.5 8 8
9	SQ.	1 1 2 2 2 2 2 3 3
14	Hex.(Metric)	2 2 2.5 2.5 3 3 4 4 5 5 6 6 8 8
10	Hex. (SAE)	1/8" 1/8" 5/32" 5/32" 3/16" 3/16" 7/32" 7/32" 1/4" 1/4"
12	Hex Tamper Resistant.	2 2 2.5 2.5 3 3 4 4 5 5 6 6
16	Torx.	T8 8 10 10 15 15 20 20 25 25 27 27 30 30 40 40
16	Torx Tamper Resistant.	TT8 8 10 10 15 15 20 20 25 25 27 27 30 30 40 40
4	Spanner	4 6 8 10
3	Torq-Set	6 8 10
3	Spline	5 6 8
3	Clutch	1 2 3
3	T-W.	1 2 3
1	**1/4" x 25mm Socket Adapter**	1/4"Dr.
20	**1/4" x 50L Screwdriver Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
3	SQ.	1 2 3
3	SL.	4 6 8
4	Hex.	3 4 5 6
4	Torx.	T15 20 25 30
6	**1/4" x 88.9L Screwdriver Bits**	
2	PH.	2 2
1	PZ.	2
1	SQ.	2
2	Torx.	T20 25
20	**1/4" Dr.Sockets**	
10	Metric	4 5 5.5 6 7 8 9 10 11 12
10	SAE	5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"
1	**1/4" x 60mm Magnetic Bit Holder**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

WIN FEATURES

20PC

Part No. 1W-020-16

20	**1/4" x 25mm Screwdriver Bits**	PH2



16PC

Part No. 1W-016-03

15	**1/4" x 25mm Screwdriver Bits**	PH2
1	**1/4" x 80mm Magnetic Extension Bit Holder**	



12PC

Part No. 1W-012-13

26	**1/4" x 50mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4 6
2	SQ.	1 2
2	Torx.	T20 25
1	**1/4" x 80mm Magnetic Extension Bit Holder**	
1	**1/4" x 120mm Magnetic Extension Bit Holder**	



7PC

Part No. 1W-007-52

3	**1/4" x 25mm Bits**	PH2
3	**1/4" x 50mm Bits**	
1	PH.	2
1	SL.	6
1	Torx.	T25
1	**1/4" x 75mm Magnetic Quick Release Bit Holder**	



16PC

Part No. 1W-016-04

15	**1/4" x 25mm Bits**	
3	PH.	1 2 2
2	PZ.	1 2
2	SL.	4 6
2	SQ.	1 2
6	Torx.	T10 15 20 25 30 40
1	**1/4" Mini Ratchet Wrench**	



19PC

Part No. 1W-019-09

17	**1/4" x 25mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4 6
2	SQ.	1 2
4	Hex.	3 4 5 6
5	Torx.	T10 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" Mini Ratchet Wrench**	



9PC

Part No. 1W-009-74

2	**1/4" x 25mm ADP**	1/4"Dr.
3	**1/4" x 50mm ADP**	1/4"Dr. 3/8"Dr. 1/2"Dr.
2	**1/4" x 65mm ADP**	1/4"Dr.
1	**1/4" x 72mm ADP**	1/2"Dr.
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



24PC

Part No. 1W-024-20

12	**1/4" x 25mm Bits**	
1	Torx.	T5
11	Torx Tamper Resistant.	TT6 7 8 9 10 15 TT20 25 27 30 40
12	**1/4" x 50mm Bits**	
1	Torx.	T5
11	Torx Tamper Resistant.	TT6 7 8 9 10 15 TT20 25 27 30 40



WIN FEATURES



9PC Metric

Part No. 1W-009-75

9	1/4" x 50mm Bits								
9	Hex.	1.5	2	2.5	3	4	5	6	8	10



10PC SAE

Part No. 1W-010-107

10	1/4" x 50mm Bits						
10	Hex.	5/64"	3/32"	7/64"	1/8"	9/64"	5/32"
		3/16"	7/32"	1/4"	5/16"		

4-in-1 Pocket Mini Screwdriver

3PC

Part No. 1W-003-129

2	1/4" x 55mm Double Ended Bits
1	PH.0 x PH.0
1	SL.1.5 x SL.3mm





4-in-1 Pocket Mini Screwdriver Display Box

24PC

Part No. 1W-024-04

Pocket Mini Screwdriver Includes

2	**1/4" x 55mm Double Ended Bits**
1	PH.0 x PH.0
1	SL.1.5 x SL.3mm



Impact Bit Set Display Mini Box

10PC

Part No. 1W-010-00

25	**1/4" x 25mm Bits**



Screwdriver Bit Set Display Box

10PC

Part No. 1W-010-44

20	**1/4" x 25mm Bits**	PH2

Industrial Grade 1/4" Hex Shank Bits
Heat Treated S2 Steel
Durable Storage Case





Tic Tac Case



PVC Container

WIN FEATURES

Screwdriver Bit Set Display Box

9PC

23/32	Screwdriver Bit Set

Various Combination is Available for Your
Choices Case / Bits Lid Finish / Bit Holder





Folding Utility Knife Display Box

10PC Part No. 1W-010-82

1	Twin blade retractable folding utility knife

Switch Between
Utility & Hooked Blade









CLIP SERIES

Designed to Flex & Absorb
Torque Stress
While Reducing Bit Fracture







Torsion Zone

WIN FEATURES

Lightweight and portable, with
interchangeable parts available at any time.

Color Box Packaging
















EXWIN


10mm
8mm
6mm
EXWIN


1/4
5/16
3/8
EXWIN


EXWIN


PH2
PH3
SQ2
T(34)T25
EXWIN


EXWIN


1/4
1/2
EXWIN

WIN FEATURES

10PC

Part No. 1W-010-105

10	1/4" x 25mm Bits
	PH. 1 1 1 2 2 2 2 3 3 3



10PC

Part No. 1W-010-103

10	1/4" x 50mm Bits
10	PH. 2



10PC

Part No. 1W-010-104

10	1/4" x 88.9mm Bits
	PH. 2



3PC

Part No. 1W-003-19

3	Socket Adapter
1	1/4" Dr. x 65mm Adapter
1	3/8" Dr. x 65mm Adapter
1	1/2" Dr. x 72mm Adapter



3PC

Part No. 1W-003-21

3	Socket Adapter
1	1/4" Dr. x 150mm Adapter
1	3/8" Dr. x 150mm Adapter
1	1/2" Dr. x 150mm Adapter





Tough & Secure Fit Chip




Heat Treated CR-V Steel

Highly Strong & Sturdy

Manganese Phosphate Coating

Excellent Corrosion Resistance



Carabiner Clip

Convenient for attaching to rope, straps, and chains



WIN FEATURES

SCREWDRIVER SETS



Double Blister Packaging







Color Box Packaging











RATCHETING SCREWDRIVER HANDLE

Ribbed Soft Grip Handle
Forward-Fixed-Reverse Action

48 Teeth



1/4"

18 Teeth



Extendable Type
Extend form 35mm to 140mm



40 Teeth

WIN FEATURES

2-WAY RATCHETING SCREWDRIVER SET

Dual-angle Option for Confined Areas





40 Teeth

48 Teeth





Forward-Fixed-Reverse



Ribbed Soft Grip Handle

21PC

Part No. 1W-021-04

9	**Nut Drive**	6 7 8 9 10 11 12 13 14mm (135L)
1	**1/4" Bit Holder (135L)**	
1	**1/4" Dr. Ratcheting Screwdriver (40T)**	
10	**1/4" x 25mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4 6
2	SQ.	1 2
2	Torx.	T20 25

12PC

Part No. 1W-012-14

10	**175mm Double-Ended Screwdriver Bits**	
1	PH.	PH1 x PH2
1	PZ.	PZ1 x PZ2
2	SL.	SL4.0 x SL6.0 / SL5.0 x 7.0
3	Hex.	H3 x H4 / H5 x H5 / H6 x H6
3	Torx.	T10 x T15 / T20 x T25 / T30 x T40
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" Quick Release Screwdriver**	





2-Way Ratcheting Screwdriver Bit Set



14PC

Part No. 1W-014-04

10	**1/4" x 25mm Bits**	
2	PH.	1 2
2	PZ.	1 2
2	SL.	4.5 5.5
2	Hex.	4 5
2	Torx.	T20 25
1	**1/4" x 50mm Socket Adapter**	3/8" Dr.
1	**3/8" Dr. Universal Socket**	
1	**2-Way Ratcheting Screwdriver (40T)**	
1	**1/4" x 60mm Magnetic Bit Holder**	







Classic Green

55PC

Part No. 1W-055-03

52	**1/4" x 25mm Bits**	
7	PH.	1 1 1 2 2 2 3
7	PZ.	1 1 1 2 2 2 3
5	SL.	3 4.5 5.5 6.5 8
7	Hex.	2 2.5 3 4 5 6 8
5	Hex Tamper Resistant.	3 4 5 6 8
8	Torx.	T8 10 15 20 25 27 30 40
13	Torx Tamper Resistant.	TT8 10 15 15 20 20 25 25 27 30 40 45 50
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" Dr. 2-Way Ratcheting Screwdriver (48T)**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



55PC

Part No. 1W-055-04

52	**1/4" x 25mm Bits**	
7	PH.	1 1 1 2 2 2 3
7	PZ.	1 1 1 2 2 2 3
5	SL.	3 4.5 5.5 6.5 8
7	Hex.	2 2.5 3 4 5 6 8
5	Hex Tamper Resistant.	3 4 5 6 8
8	Torx.	T8 10 15 20 25 27 30 40
13	Torx Tamper Resistant.	TT8 10 15 15 20 20 25 25 27 30 40 45 50
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" Dr. 2-Way Ratcheting Screwdriver (40T)**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

WIN FEATURES

2-Way Ratcheting Screwdriver Bit & Socket Set



6 PT SOCKET

48PC

Part No. 1W-048-03

13	**1/4" Dr. Sockets**	
13	4 4.5 5 5.5 6 7 8 9 10 11 12 13 14mm	
32	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
3	SL.	4.5 5.5 8
5	Hex.	3 4 5 6 8
9	Torx.	T8 10 15 20 25 27 30 40 45
7	Torx Tamper Resistant.	TT10 15 20 25 27 30 40
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" x Dr. 2-Way Ratcheting Screwdriver (40T)**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	

Extendable Ratcheting Screwdriver Bit & Socket Set



6 PT SOCKET

59PC

Part No. 1W-059-00

11	**1/4" Dr. Sockets**	
11	4 5 6 7 8 9 10 11 12 13 14mm	
19	**1/4" x 25L Screwdriver Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
3	SL.	4.5 5.5 6.5
4	Hex.	3 4 5 6
6	Torx.	10 15 20 25 30 40
25	**4mm x 28mm Precision Bits**	
4	PH.	000 00 0 1
5	SL.	0.8 1.2 1.5 2 2.5
5	Hex.	0.7 0.9 1.5 2.0 2.5
3	Torx.	T3 4 5
5	Torx Tamper Resistant.	TT6 7 8 9 10
3	Pentalobe.	P2 5 6
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" x Dr. Extendable Ratcheting Screwdriver (Form 35 to 140mm)**	
1	**1/4" x 60mm Magnetic Bit Holder**	



6 PT SOCKET

60PC

Part No. 1W-060-00

11	**1/4" Dr. Sockets**	
11	4 5 6 7 8 9 10 11 12 13 14mm	
47	**1/4" x 25mm Bits**	
5	PH.	1 1 2 2 3
5	PZ.	1 1 2 2 3
5	SL.	3 4.5 5.5 6.5 8
6	Hex.	2.5 3 4 5 6 8
5	Hex Tamper Resistant.	3 4 5 6 8
8	Torx.	T 8 10 15 20 25 27 30 40
13	Torx Tamper Resistant.	TT8 10 15 15 20 20 25 25 27 30 40 45 50
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" x Dr. Extendable Ratcheting Screwdriver (18T)**	

Security Bits Series



6 PT SOCKET

36PC Metric

Part No. 1W-036-08

10	**1/4" Dr. Sockets**	
10	4 5 6 7 8 9 10 11 12 13mm	
20	**1/4" 25mm Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
3	SL.	4.5 5.5 8
5	Hex.	3 4 5 6 8
6	Torx.	T10 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" Dr. 1/4" Bit Coupler**	
1	**2-Way Ratcheting Wrench (72T)**	
1	**1/4" Dr. Ratcheting Screwdrriver (48T)**	
1	**1/4" Dr. x 100mm Wobble Extension Bar**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



6 PT SOCKET

36PC SAE

Part No. 1W-036-09

10	**1/4" Dr. Sockets**	
10	5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"	
20	**1/4" 25mm Bits**	
3	PH.	1 2 3
3	SQ.	1 2 3
3	SL.	7/64" 1/8" 7/32"
5	Hex.	3/32" 7/64" 1/8" 7/32" 5/16"
6	Torx.	T10 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" Dr. 1/4" Bit Coupler**	
1	**2-Way Ratcheting Wrench (72T)**	
1	**1/4" Dr. Ratcheting Screwdrriver (48T)**	
1	**1/4" Dr. x 100mm Wobble Extension Bar**	
1	**1/4" x 60mm Magnetic Quick Release Bit Holder**	



45PC

Part No. 1W-045-02

20	**1/4" Dr. Sockets**	
10	MM	4 5 5.5 6 7 8 9 10 11 12mm
10	SAE	5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"
23	**1/4" x 25L Screwdriver Bits**	
3	PH.	1 2 3
3	PZ.	1 2 3
3	SQ.	1 2 3
4	SL.	8 10 3/16" 1/4"
4	Hex.	3 4 5 6
6	Torx.	T10 15 20 25 30 40
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" x Magnetic Quick Release Screwdriver**	

WIN FEATURES

Security Bits Series



6 PT SOCKET

60PC

Part No. 1W-060-01

11	**1/4" Dr. Sockets**	
11	4 5 6 7 8 9 10 11 12 13 14mm	
47	**1/4" x 25mm Bits**	
4	PH.	0 1 2 3
4	PZ.	0 1 2 3
3	SL.	3 4.5 6.5
8	Torx.	T8 10 15 20 25 27 30 40
5	Torx Tamper Resistant.	TT8 10 15 20 25
6	Hex Tamper Resistant.	2.5 3 4 5 6 8
4	Spanner.	4 6 8 10
3	Torq-Set.	6 8 10
3	Spline.	M5 6 8
3	Clutch.	1 2 3
3	T-W.	1 2 3
1	Y-Design Hook Hanging Bit	
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" x Dr. Magnetic Quick Release Screwdriver-Slim Lock Type**	



6 PT SOCKET

60PC

Part No. 1W-060-02

11	**1/4" Dr. Sockets**	
11	4 5 6 7 8 9 10 11 12 13 14mm	
47	**1/4" x 25mm Bits**	
4	PH.	0 1 2 3
4	PZ.	0 1 2 3
3	SL.	3 4.5 6.5
8	Torx.	T8 10 15 20 25 27 30 40
5	Torx Tamper Resistant.	TT8 10 15 20 25
6	Hex Tamper Resistant.	2.5 3 4 5 6 8
4	Spanner.	4 6 8 10
3	Torq-Set.	6 8 10
3	Spline.	M5 6 8
3	Clutch.	1 2 3
3	T-W.	1 2 3
1	Y-Design Hook Hanging Bit	
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" x Dr. Magnetic Quick Release Screwdriver-Slim Lock Type**	



Double-Ended Screwdriver Set

12PC

Part No. 1W-012-03

10	**1/4" x 175mm Double-Ended Screwdriver Bits**	
1	PH1 x PH2.	
1	PZ1 x PZ2	
2	SL4.0 x 6.0	SL5.0 x 7.0
3	Hex.	H3 x H4 H5 x H5 H6 x H6
3	Torx.	T10 x T15 T20 x T25 T30 x T40
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**1/4" x Dr. Quick Release Screwdriver**	



Ratcheting Nut Driver Set

11PC

Part No. 1W-011-01

9	**1/4" x 135mm Nut Driver**
9	6 7 8 9 10 11 12 13 14mm
1	**1/4" x Dr. 2-Way Release Screwdriver (40T)**
1	**1/4" x 135mm Bit Holder**



37PC

Part No. 1W-037-01

26	**1/4" x 25mm Bits**	
4	PH.	1 2 2 3
4	PZ.	1 2 2 3
3	SL.	4.5 5.5 6.5
5	Hex.	3 4 5 6 8
6	Torx.	T10 15 20 25 30 40
4	Torx Tamper Resistant.	TT10 15 20 25
9	**1/4" x 135mm Nut Driver**	
9	6 7 8 9 10 11 12 13 14mm	
1	**1/4" x Dr. 2-Way Release Screwdriver (40T)**	
1	**1/4" x 135mm Bit Holder**	

WIN FEATURES

6-IN-1 Screwdriver & Nut driver Set

- Double-Ended Sandblasted Chrome Vanadium Steel Bits
- Comfortable To Use, Soft Enlarged Non-Slip Handle Grop



All type screwdriver bits
Are available on request




12PC

Part No. 1W-012-02

Screwdriver Includes		
2	**Double Ended Bits**	
1	H1/4"	PH1 x PH2
1	H5/16"	SL3/16" x 1/4"
1	**Double Ended Nut Driver 1/4" x 5/16"**	







PRECISION TOOL SETS

WIN FEATURES



81PC

Part No. 1W-081-01

72	**4mm x 28mm Precision Bits**	
4	PH.	000 00 0 1
4	PZ.	000 00 0 1
8	SL.	0.8 1 1.2 1.5 2 2.5 3 3.5
9	Hex.(Metric)	0.7 0.9 1.3 1.5 2 2.5 3 3.5 4
4	Hex. (SAE)	1/16" 5/64" 3/32" 7/64"
4	Hex Tamper Resistant. (Metric)	2 2.5 3 4
5	Hex Tamper Resistant. (SAE)	5/64 3/32" 1/8" 9/64 5/32"
10	Torx.	T3 4 5 6 7 8 9 10 15 20
6	Torx Tamper Resistant.	TT6 7 8 9 10 15
3	JIS.	000 00 0
3	Pentalobe.	P2 5 6
4	TA	2 2.2 2.6 3
4	T-W.	Y000 00 0 1
2	Spanner	4 6
1	Sim	
1	STAND OFF	
2	**4mm x 28mm Game Bits**	3.8 4.5mm
6	**4mm x 28mm Nut Drivers**	2.5 3 3.5 4 4.5 5
1	**4mm x 150mm Extendable Gearless Precision Screwdriver**	



113PC

Part No. 1W-113-00

96	**4mm x 25mm Precision Bits**	
8	PH.	000 000 00 00 00 0 0 1
8	PZ.	000 000 00 00 00 0 0 1
13	SL.	0.8 1 1.2 1.3 1.5 1.5 1.8 2 2 2.5 3 3.5 4
9	Hex. (Metric)	0.7 0.9 1.3 1.5 2 2.5 3 3.5 4
9	Hex. (SAE)	1/16" 5/64" 3/32" 3/32" 7/64" 1/8" 1/8" 9/64" 5/32"
5	Hex Tamper Resistant. (Metric)	2 2.5 3 3.5 4
8	Hex Tamper Resistant. (SAE)	5/64" 3/32" 3/32" 7/64" 1/8" 1/8" 9/64" 5/32"
11	Torx.	T2 3 4 5 6 7 8 9 10 15 20
6	Torx Tamper Resistant.	TT6 7 8 9 10 15
4	JIS.	000 00 0 1
3	Pentalobe.	P2 5 6
4	TA	2 2.2 2.6 3
4	T-W.	Y000 00 0 1
2	Spanner	4 6
1	Sim	
1	STAND OFF	
2	**4mm x 25mm Game Bits**	3.8 4.5mm
6	**4mm x 25mm Nut Drivers**	2.5 3 3.5 4 4.5 5mm
1	**Magnet**	
1	**4mm x 150mm Extendable Gearless Precision Screwdriver**	
7	**Accessories**	Suction Cup + SIM Card Ejector Pin*1 Triangle Opening Picks*2 / Plastic Opening Tools*3 Cutting Pliers*1)



41PC

Part No. 1W-041-01

38	**4mm x 25mm Precision Bits**	
5	PH.	000 00 00 0 1
5	PZ.	000 00 00 0 1
6	SL.	0.8 1.2 1.5 1.8 2.0 3.0
7	Hex.	0.7 0.9 1.3 1.5 2.0 2.5 3.0
9	Torx.	T3 4 5 6 7 8 9 10 15
6	Torx. Tamper Resistant.	TT6 7 8 9 10 15
1	**Gearless Precision Screwdriver**	
1	**4mm x 150mm Extension Holder**	
1	**4mm x 115mm Extension Holder**	



48PC

Part No. 1W-048-06

38	**4mm x 25mm Precision Bits**	
5	PH.	0 0 0 0 1
5	PZ.	0 0 0 0 1
6	SL.	0.8 1.2 1.5 1.8 2.0 3.0
7	Hex.	0.7 0.9 1.3 1.5 2.0 2.5 3.0
9	Torx.	T3 4 5 6 7 8 9 10 15
6	Torx Tamper Resistant.	TT6 7 8 9 10 15
6	**Nut Drivers**	2.5 3.0 3.5 4.0 4.5 5.0mm
2	**Geam Bits**	3.8 4.5
1	**4mm x 135mm Extendable Gearless Precision Screwdriver**	
1	**4mm x 150mm Flexible Shaft**	



61PC

Part No. 1W-061-04

60	**4mm x 25mm Precision Bits**	
4	PH.	000 00 0 1
2	PZ.	0 1
8	SL.	1 1.3 1.5 2.0 2.5 3 3.5 4
8	Hex.(Metric)	0.7 0.9 1.3 1.5 2.0 2.5 3 4
7	Hex.(SAE)	1/16" 5/64" 3/32" 7/64" 1/8" 9/64" 5/32"
3	Hex Tamper Resistant. (Metric)	2.5 3 4
3	Hex Tamper Resistant. (SAE)	3/32" 1/8" 5/32"
9	Torx.	T2 3 4 5 6 7 8 9 10
4	Torx Tamper Resistant.	TT8 9 10 15
4	JIS.	000 00 0 1
3	Pentalobe.	P2 5 6
2	Tri-wing.	Y0 1
2	Triangle.	2 3
1	Sim.	
1	**4mm x 135mm Extendable Gearless Precision Screwdriver**	



58PC

Part No. 1W-058-00

19	**4mm x 25mm Precision Bits**	
4	PH.	000 00 0 1
3	SL.	1.5 2 2.5
5	Hex.(Metric)	0.9 1.5 2.0 2.5 3
1	Torx.	T5
4	Torx Tamper Resistant.	TT6 7 8 9
2	Pentalobe.	P2 5
32	**1/4" x 25mm Bits**	
3	PH.	1 2 3
4	PZ.	0 1 2 3
4	SQ.	0 1 2 3
3	SL.	4 6 7
9	Hex Tamper Resistant.	4 5 6 1/8" 9/64" 5/32" 3/16" 7/32" 1/4"
9	Torx Tamper Resistant.	TT9 10 15 20 25 27 30 35 40
1	**1/4" x 25mm Socket Adapter**	1/4" Dr.
1	**Schrader Valve**	
1	**Plastic tray**	
3	**3 in 1 Screwdriver for both 4mm & H1/4" accessories**	
1	**4mm x 150mm Flexible Shaft**	

WIN FEATURES



Durable Storage Case



Color Sleeve



36PC

Part No. 1W-036-02

35	**4mm x 28mm Precision Bits**	
5	PH.	000 00 00 0 1
4	PZ.	00 0 0 1
6	SL.	0.8 1.2 1.5 1.8 2.0 3.0
7	Hex.	0.7 0.9 1.3 1.5 2.0 2.5 3.0
7	Torx.	T5 6 7 8 9 10 15
6	Torx Tamper Resistant.	TT6 7 8 9 10 15
1	**4mm x 152mm Extendable Gearless Precision Screwdriver**	



38PC

Part No. 1W-038-00

36	**4mm x 28mm Precision Bits**	
4	PH.	000 00 0 1
4	PZ.	000 00 0 1
6	SL.	0.8 1.2 1.5 1.8 2.0 3.0
7	Hex.	0.7 0.9 1.3 1.5 2.0 2.5 3.0
9	Torx.	T3 4 5 6 7 8 9 10 15
6	Torx Tamper Resistant.	TT6 7 8 9 10 15
1	**Gearless Precision Screwdriver**	
1	**4mm x 115mm Extension Holder**	



52PC

Part No. 1W-052-00

45	**4mm x 28mm Precision Bits**	
4	PH.	000 00 0 1
2	PZ.	0 1
7	SL.	1 1.3 1.5 2.0 2.5 3.0 4.0
4	Hex. (Metric)	0.7 0.9 1.3 1.5
1	Hex. (SAE)	1/16"
4	Hex Tamper Resistant. (Metric)	2 2.5 3 4
6	Hex Tamper Resistant. (SAE)	5/64" 3/32" 7/64" 1/8" 9/64" 5/32"
6	Torx.	T2 3 4 5 6 7
3	Torx Tamper Resistant.	TT8 9 10
4	JIS.	000 00 0 1
3	Pentalobe.	P2 5 6
1	Sim	
6	**Nut Drivers**	2.5 3 3.5 4 4.5 5mm
1	**4mm x 135mm Extendable Gearless Precision Screwdriver**	



NUT SETTER & SOCKET SETS

WIN FEATURES

Clip Series

5PC

Part No. 1W-005-048

5	H1/4" x 2-9/16" Magnetic Nut Setter				
5	1/4"	5/16"	3/8"	7/16"	1/2"



5PC

Part No. 1W-005-049

5	H1/4" x 6" Magnetic Nut Setter				
5	1/4"	5/16"	3/8"	7/16"	1/2"



FLEX TECH Torsion Design



Design to Flex & Absorb Torque Stress

Magnetic Impact Nut Setter



Heavy duty neodymium magnet holds screw screw securely in place for easy and accurate fastening



Unique and Creatively Designed



BONUS

Carabiner Clip

Convenient for attaching to rope, straps, and chains



Power Nut Setter Set

5PC Metric

Part No. 1W-005-050

5	**H1/4" x 67mm Magnetic Nut Setter**
5	6 8 10 12 13mm

5PC SAE

Part No. 1W-005-51

5	**H1/4" x 2-9/16" Magnetic Nut Setter**
5	1/4" 5/16" 3/8" 7/16" 1/2"



12PC Metric

Part No. 1W-012-011

Magnetic	**H1/4" x 67mm Magnetic Nut Setter**
6	6 8 10 11 13 14mm
Hollow Recess	**H1/4" x 67mm Magnetic Nut Setter**
6	6 8 10 11 13 14mm

12PC SAE

Part No. 1W-012-12

Magnetic	**H1/4" x 2-9/16" Magnetic Nut Setter**
6	1/4" 5/16" 3/8" 7/16" 1/2" 9/16"
Hollow Recess	**H1/4" x 2-9/16" Magnetic Nut Setter**
6	1/4" 5/16" 3/8" 7/16" 1/2" 9/16"

3/8" Dr. Bolt Extractor Socket Set



10PC Metric

Part No. 1W-010-41

9	**Sockets**
9	8 10 11 12 13 14 16 17 19mm
1	**Push Rod**

10PC SAE

Part No. 1W-010-43

9	**Sockets**
9	1/4" 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4"
1	**Push Rod**



Rounded off | Painted over | Rusted Tight

Please note that the situations such extractor sockets confront with could be very difficult that the tool users might need to try different operation angles for optimal results.



WIN FEATURES

1/4"



6 PT SOCKET



2-Piece Long Socket Set

5PC

Part No. 1W-005-029

5	1/4" x Hex Shank Short Nut Socket				
5	8	10	12	13	14mm

1/4"



6 PT SOCKET



2-Piece Long Socket Display Box

10PC

Size Option						
8	10	11	12	13	14	17mm



6PC

Size Option		
19	21	24mm




Wing Nut Driver

2PC — Part No. 1W-002-126

2	Wing Nut Driver





Wobble Action

Wobble Extension Impact Bit Socket Set

- 2-in-1 Extension
- Wobble Action & Standard
- Push to Lock in Standard Position
- Black Phosphated

3PC SAE — Part No. 1W-003-07

3	3/8"Dr. Wobble Extension Impact Bit Socket Set
3	2" 4" 6"

3PC SAE — Part No. 1W-003-04

3	1/2"Dr. Wobble Extension Impact Bit Socket Set
3	3" 5" 7"



3/8" Dr. Torx Bit Socket Set

3PC TORX® — Part No. 1W-003-08

3	3/8"Dr. Bit Socket
3	T40 45 50

WIN FEATURES




Universal Socket tool Set With Socket Adapter

2PC

Part No. 1W-002-106

1	1/4" x 50mm Socket Adapter	3/8"Dr.
1	Universal Socket	



Impact Bit Socket Set



Metal Case



Blow Molded Case



Hanger

3/8" Dr.

Item	7Pc / 78mm	Metal Case	Blow Molded Case	Hanger
Metric	4 5 6 7 8 10 12mm	1W-007-01	1W-007-38	1W-007-22
SAE	3/16" 7/32" 1/4" 5/16" 3/8" 7/16" 1/2"	1W-007-03	1W-007-39	1W-007-24
Spline	5 6 8 10 12 14 16	1W-007-02	1W-007-41	1W-007-30
TORX®	T20 25 30 40 45 50 55	1W-007-04	1W-007-40	1W-007-23
TORX® Tamper Resistant	TT20 25 30 40 45 50 55	1W-007-28	1W-007-42	1W-007-29

1/2" Dr.

Item	8Pc / 78mm	Metal Case	Blow Molded Case	Hanger
Metric	6 7 8 10 12 14 17 19mm	1W-008-02	1W-007-54	1W-008-07
SAE	1/4" 5/16" 3/8" 7/16" 1/2" 9/16" 5/8" 3/4"	1W-008-04	1W-007-55	1W-008-14
TORX®	T30 40 45 47 50 55 60 70	1W-008-03	1W-007-56	1W-008-00
TORX® Tamper Resistant	TT30 40 45 47 50 55 60 70	1W-008-22	1W-007-57	1W-008-21
Item	**7Pc / 78mm**	**Metal Case**	**Blow Molded Case**	**Hanger**
Spline	5 6 8 10 12 14 16	1W-007-05	1W-007-43	1W-007-27



Conversion Chart

Inch / Decimal / Milli meters			Inch / Decimal / Milli meters			Inch / Decimal / Milli meters		
1/64	0.016	0.397		0.354	9.000	11/16	0.688	17.463
1/32	0.031	0.794	23/64	0.359	9.128	45/64	0.703	17.859
	0.039	1.000	3/8	0.375	9.525		0.709	18.000
3/64	0.047	1.191	25/64	0.391	9.922	23/32	0.719	18.256
1/16	0.063	1.588		0.394	10.000	47/64	0.734	18.653
5/64	0.078	1.984	13/32	0.406	10.319		0.748	19.000
	0.079	2.000	27/64	0.422	10.716	3/4	0.750	19.050
3/32	0.094	2.381		0.433	11.000	49/64	0.766	19.447
7/64	0.109	2.778	7/16	0.438	11.113	25/32	0.781	19.844
	0.118	3.000	29/64	0.453	11.509		0.787	20.000
1/8	0.125	3.175	15/32	0.469	11.906	51/64	0.797	20.241
9/64	0.141	3.572		0.472	12.000	13/16	0.813	20.638
5/32	0.156	3.969	31/64	0.484	12.303		0. 827	21.000
	0.158	4.000	1/2	0.500	12.700	53/64	0.828	21.034
11/64	0.172	4.366		0.512	13.000	27/32	0.844	21.431
3/16	0.188	4.763	33/64	0.516	13.097	55/64	0.859	21.828
	0.197	5.000	17/32	0.531	13.494		0.866	22.000
13/64	0.203	5.159	35/64	0.547	13.891	7/8	0.875	22.225
7/32	0.219	5.556		0.551		57/64	0.891	22.622
15/64	0.234	5.953	9/16	0.563	14.288		0.906	23.000
	0.236	6.000	37/64	0.578	14.684	29/32	0.906	23.019
1/4	0.250	6.350		0.591	15.000	59/64	0.922	23.416
17/64	0.266	6.747	19/32	0.594	15.081	15/16	0.938	23.813
	0.276	7.000	39/64	0.609	15.478		0.945	24.000
9/32	0.281	7.144	5/8	0.625	15.875	61/64	0.953	24.209
19/64	0.297	7.541		0.630	16.000	31/32	0.969	24.606
5/16	0.313	7.938	41/64	0.641	16.272		0.984	25.000
	0.315	8.000	21/32	0.656	16.669	63/64	0.984	25.003
21/64	0.328	8.334		0.669	17.000	1	1.000	25.400
11/32	0.344	8.731	43/64	0.672	17.066			

Memo